

Food grade lubricants



Food grade oils

Product	Base oil	Viscosity at 40°C	Viscosity at 100°C	Viscosity index	Pourpoint in°C	Flash point in°C	Type	Available in:
Berusynth 15 H1	PAO	15	3.8	125	-65	≥ 170	H1, Halal & Kosher	NL & BE
Berusynth 32 H1	PAO	32	6	140	-65	≥ 220	H1, Halal & Kosher	NL & BE
Berusynth 46 H1	PAO	46	7.9	140	-60	≥ 240	H1, Halal & Kosher	NL & BE
Berusynth 68 H1	PAO	68	11	145	-55	≥ 240	H1, Halal & Kosher	NL & BE
Berusynth 100 H1	PAO	100	14.5	145	-50	≥ 250	H1, Halal & Kosher	NL & BE
Berusynth 150 H1	PAO	150	19	145	-50	≥ 250	H1, Halal & Kosher	NL & BE
Berusynth 220 H1	PAO	220	26	150	-50	≥ 250	H1, Halal & Kosher	NL & BE
Berusynth 320 H1	PAO	320	38	150	-45	≥ 250	H1, Halal & Kosher	NL & BE
Berusynth 460 H1	PAO	460	44	150	-40	≥ 255	H1, Halal & Kosher	NL & BE
Berusynth 680 H1	PAO	680	59	155	-35	≥ 260	H1, Halal & Kosher	NL & BE
Berusynth 1000 H1	PAO	1000	82	165	-35	≥ 260	H1, Halal & Kosher	NL & BE
Berusynth PG 220 H1	Polyglycol	220	39	220	-36	≥ 200	H1	NL & BE
Berusynth PG 460 H1	Polyglycol	460	72	230	-36	≥ 200	H1	NL & BE
Berusynth PG 680 H1	Polyglycol	680	110	260	-36	≥ 200	H1	NL & BE

Food grade greases

Product	Base oil	NLGI-grade	Viscosity at 40°C	Viscosity at 100°C	Service temperature range in°C	Certificate	Available in:
Beruglide L	PFPE/ PTFE	1 – 2*	160	16	150	H1, Halal & Kosher	NL & BE
Berulub 932 Antiseize Paste	Medical white oil/Gel	1*	70	9	1360	H1	NL & BE
Berulub FA 37	White oil/ Aluminium complex soap	2	67	9	100	H1	NL & BE
Berulub FA 46	White oil/ Aluminium complex soap	2	67	9	100	H1	NL & BE
Berulub FB 34	PAO/Aluminium complex soap	1	400	40	120	H1	NL & BE
Berulub FB 34-00	PAO/Aluminium complex soap	0	400	40	120	H1	NL & BE
Berulub FB 35-0	PAO/Aluminium complex soap	0	180	20	120	H1 & Halal	NL & BE
Berulub FG-H 2 EP	PAO/Special calcium complex soap	1 – 2	150	18.5	120	H1, Halal & Kosher	NL & BE
Berulub FG-H 2 SL	PAO/Special calcium complex soap	2	50	8	115	H1, Halal & Kosher	NL & BE
Berulub FK 164-2	PFPE/ PTFE	2	150	45	190	H1, Halal & Kosher	NL & BE
Berulub OX 100 EP	PFPE/inorganic pigment	2*	90	11	170	H1 & Halal	NL & BE
Berulub PV DAB 10	Paraffinic hydrocarbons	-	-	7.5	25	H1, Halal & Kosher	NL & BE
Berulub Sihaf 1	Silicone oil/ PTFE	1	3100	1200	120	H1, Halal & Kosher	NL & BE
Berulub Sihaf 2	Silicone oil/ PTFE	3	3100	1200	120	H1, Halal & Kosher	NL & BE
Berulub WP 402 H1	White oil/ Special aluminium complex soap	1 – 2	400	30	130	H1	NL & BE
Berutil FO 63	Silicone oil/ Gel	1 – 2*	3500	1500	130	H1 & Halal	NL & BE
Berutemp 500 G 2	PFPE/ Gel	2	510	45	225	H1, Halal & Kosher	NL & BE
Berutemp 500 T 2	PFPE/ PTFE	1 – 2	510	45	240	H1, Halal & Kosher	NL & BE
Berutox VPT 54-1	PFPE/ PTFE	1	210	20	200	H1, Halal & Kosher	NL & BE
Berutox VPT 54-2	PFPE/ PTFE	2	210	20	200	H1, Halal & Kosher	NL & BE
Berulub Longlife LF	Mineral oil/ Lithium soap	2	100	9	90	H2	NL & BE
Berutemp 490 RS	Mineral oil/ Polyurea	1 – 2	490	32	160	H2	NL & BE
Berutox FH 28 KN	PAO/ Polyurea	1 – 2	400	40	350	H2	NL & BE